


MICROCOPY

CHART





AD	

MOSQUITO INFORMATION MANAGEMENT PROJECT (MIMP):
APPLICATION OF A COMPUTERIZED GENERAL PURPOSE
INFORMATION MANAGEMENT SYSTEM (SELGEM) TO MEDICALLY
IMPORTANT ARTHROPODS (DIPTERA: CULICIDAE)

Annual Report

Terry L. Erwin

August 1983

supported by

U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND Fort Detrick, Frederick, MD 21701

Contract No. DAMD17-79-C-9149

Smithsonian Institution Washington, DC 20560



DOD DISTRIBUTION STATEMENT

Approved for public release; distribution unlimited.

The findings in this report are not to be construed as an official Department of the Army position unless so designed by other authorized documents.

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM			
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER			
4. TITLE (and Subtitle) MOSQUITO INFORMATION MANAGEMENT PROJECT (MIMP): APPLICATION OF A COMPUTERIZED GENERAL PURPOSE	5. TYPE OF REPORT & PERIOD COVERED Annual Report July 1982 to August 1983			
INFORMATION MANAGEMENT SYSTEM (SELGEM) TO MEDICALLY IMPORTANT ARTHROPODS (DIPTERA: CULICIDAE)	6. PERFORMING ORG, REPORT NUMBER			
7. AUTHOR(a)	8. CONTRACT OR GRANT NUMBER(*)			
Terry L. Erwin	DAMD17-79-C-9149			
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS			
Smithsonian Institution Washington, DC 20560	62770A.3M162770A870.AC.002			
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE			
U.S. Army Medical Research and Development Command	August 1983			
Fort Detrick, Frederick, Maryland 21701-5012	13. NUMBER OF PAGES			
14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (of this report)			
14. MONITORING AGENCY NAME & ADDRESS, I different nous continue of the	Unclassified			
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE			
16. DISTRIBUTION STATEMENT (of this Report)				
Approved for public release; distribution un	limited			
17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different from	om Report)			
18. SUPPLEMENTARY NOTES				
19. KEY WORDS (Continue on reverse side if necessary and identify by block number	•)			
Mosquitoes, Culicidae, Malaria, Arbovirus, System	atics, Distribution, Vectors			
The Mosquito Information Management Project (MIMP) between the Walter Reed Biosystematics Unit (WRBU), of Research (WRAIR), and the Department of Entomology History, Smithsonian Institution. The Project was to develop a computer-based systematic and ecological for the approximately one million mosquito speciment of the Natural History collection. This collection is the	Walter Reed Army Institute ogy, National Museum of Natural established in September 1979, cal computer file (data bank) as in the National Museum of			

mosquito collection in the world and represents a national treasure. The data management system, SELGEM (SElf-GEnerating Master), was selected as the primary storage/management system. Data recorded on collection forms are submitted to a Honeywell Series 60 Level 66/80 computer via a Nixdorf 600/55 minicomputer.

During this report period data from an additional 4,543 collection forms, representing roughly 116,698 specimens, were entered into the computer.

Development continued for the seven separate geographic files, incorporating data for Mexico, Central America, South America, the Caribbean Region and Eastern Africa. The file for Mexico and Central America was recently made current with the entry of collection data for the final country Mexico. Emphasis has now been switched from Central America to entering collection information into the data base for South American countries. These files allow for rapid and inexpensive search capability that will be a major advantage as the data base expands.

-MIMP expanded its communications capabilities with the WRBU NBI Word Processor. The word processor was tailored for communication with the DEK Word Processor in the Smithsonian's ADP (Automatic Data Processing) Office, and the NBI Word Processor at the Department of Arbovirology, USAMRIID, Ft. Detrick, Maryland.

MIMP expanded its map-making capabilities with the incorporation of the computer program World Data Bank II and the use of the state-of-the-art Calcomp Plotter in cooperation with the Office of Information Resource Management (OIRM). In addition, the size of the world map collection was increased to over 11,300 maps.

1

STATES PROCESSES



Accession For NTIS GRA&I DTIC TAB Unannounced Justification By Distribution/ Availability Codes Avail and/or Dist Special

ANNUAL REPORT MOSOUITO INFORMATION MANAGEMENT PROJECT

SUMMARY

The Mosquito Information Management Project (MIMP) is a collaborative venture between the Walter Reed Biosystematic Unit (WRBU), Walter Reed Army Institute of Research (WRAIR), and the Department of Entomology, National Museum of Natural History, Smithsonian Institution. The project was established in September 1979, to develop a computer-based systematic and ecological computer file (data bank) for the approximately one million mosquito specimens in the National Museum of Natural History collection. This collection is the largest and most complete mosquito collection in the world and represents a national treasure. The data management system, SELGEM (SELf-GEnerating Master), was selected as the primary data storage/management system. Data recorded on collection forms are submitted to a Honeywell® Series 60 Level 66/80 computer system via a Nixdorf® 600/55 minicomputer data entry system.

During this report period data from an additional 4,543 collection forms, representing roughly 116,698 specimens, were entered into the computer.

Development continued for the seven separate geographic files, incorporating data for Mexico and Central America, South America, the Caribbean Region and Eastern Africa. The file for Mexico and Central America was recently made current with the entry of collection data for the final country, Mexico. Emphasis has now switched from Central America to entering collection information into the data base for South American countries. These files allow for a rapid and inexpensive search capability that will be a major advantage as the data base expands.

MIMP expanded its communications capabilities with the WRBU NBI® Word Processor. The word processor was tailored for communications with the DEK Word Processor in the Smithsonian's ADP (Automatic Data Processing) Office, and the NBI® Word Processor at the Department of Arbovirology, USAMRIID, Ft. Detrick, Frederick, Maryland.

MIMP expanded its map-making capabilities with the incorporation of the computer program World Data Bank II and use of the state-of-the-art Calcomp Plotter, in cooperation with the Office of Information Resource Management (OIRM). In addition, the size of the world map collection was increased to over 11,300 maps.

FOREWORD

TABLE OF CONTENTS

Summary
Introduction4
Review of Progress
I. Personnel and Equipment5
II. Data Input5
III. Queries and/or Requests6
IV. Other Activities8
Figures10

INTRODUCTION

The National Museum of Natural History, Smithsonian Institution, houses a mosquito collection of over one million specimens from all over the world. This collection is the largest of its kind and is well curated. During the last 19 years the collection has grown 5-fold, primarily due to several U. S. Army Medical Research and Development Command contracts, i.e., the Southeast Asia Mosquito Project (SEAMP), the Mosquitoes of Middle America Project (MMAP) and the Medical Entomology Project (MEP). World areas that are particularly well represented in the collection are the Nearctic, Neotropical, Oriental and South Pacific faunal regions. These specimens, combined with their associated collection data/records, represent a major scientific resource for Medical Entomologists, Epidemiologists and Public Health Workers. Unfortunately, the collection has received very little attention to date (except by taxonomists).

The Mosquito Information Management Project (MIMP) was established in 1979 to develop this outstanding source of data on known and potential vectors of human pathogens into a computer-based systematic and ecological data bank. This data bank is based on data from specimens identified by taxonomic authorities and (1) provides important, easily accessible, systematic and ecological data for species of known or potential importance to the military, public health organizations and other scientific and environmental agencies; (2) enhances current and future laboratory and field mosquito research efforts; (3) provides knowledge of deficiencies in the National Mosquito Collection and allows new collection strategies; (4) alleviates managerial problems by providing a timely and cost-efficient collection inventory; and (5) serves as a model for the storage/analysis of mosquito biological data on a world-wide level.

The project is located at the Smithsonian Institution and works in close association with: (1) Walter Reed Biosystematics Unit, from the Walter Reed Army Institute of Research; (2) the Systematics of Aedes Mosquitoes Project; (3) Department of Entomology, Smithsonian Institution; and (4) Systematic Entomology Laboratory, U. S. Department of Agriculture. It was designed to be responsive to the needs of these organizations, as well as other governmental or institutional scientific organizations.

REVIEW OF PROGRESS FOR THE PERIOD 1 JULY 1982 TO 30 AUGUST 1983

I. Personnel and Equipment

- A. The addition of a technician during this year had major impact on the project. Ms. Dolores Cantu (IS-5) began working in mid-July 1982 and was trained in general project procedures, data entry, map making and the use of the SI Calcomp Plotter. This last piece of equipment prepares the computer-digitized maps from the World Data Bank II computer program. These maps are one of the major services provided by MIMP. Ms. Cantu's training and proficiency gives MIMP more flexibility and reduces the request load to the Smithsonian Office of Information Resource Management.
- B. During this period the computer program, World Data Bank II (previously obtained from the National Technical Information Service) was incorporated into the Smithsonian's Honeywell® computer by the Office of Information Resource Management (formerly Office of Computer Services). This program allows the production of computer-digitized maps for plotting distribution maps based on the specimens in the collection. Over 26 (through 25 Aug) computer generated maps were produced to fulfill outside requests.
- C. The NBI® 3000 Word Processor in the Walter Reed Biosystematics Unit was tailored to the DEK Word Processor in the Automatic Data Processing (ADP) Office in the Smithsonian Institution, and to the NBI® 3000 Word Processor in the Department of Arbovirology, USAMRIID, Fort Detrick, Frederick, Maryland. These link-ups enable MIMP to communicate information requested by colleagues within hours of the request.
- D. The software for the NBI® 3000 Word Processing System was upgraded from Level C to Level G to increase word processing capabilities. New capabilities include abilities to search for footnotes, insert documents and delete phrases.
- E. Over 1100 maps were received and filed, expanding the map collection to over 11,300 maps.

II. Data Input

A. Data from 4,543 collection forms were entered into the SELGEM master file during this period, representing approximately 116,698 specimens. The majority of forms used originated from the John N.

Belkin Central American collections. Data from all of the Belkin Central American collections, including those from Mexico, have been entered into the computer (see Figure A). Emphasis has shifted to the extensive collections from South America and the Caribbean regions. Data entry has already been completed for all available collections from Venezuela, Colombia and Suriname.

In addition to western hemisphere collections, data from 44 collection forms from Kenya representing 511 specimens, were entered into the computer data base for Eastern Africa.

With the above entries, data from a total of 10,322 collection forms and 317,904 individual specimens have been entered into the master files.

- B. Seven separate geographic master files have been established to simplify and speed up the efficiency of queries. The use of such files quickly reduces the search effort for specific queries, and will greatly reduce computer charges as the data base expands. The 7 files established to date are:
 - 1. Mexico and Central America-includes Belize, Costa Rica, El Salvador, Guatemala, Honduras, Mexico, Nicaragua, and Panama.
 - 2. Western South America-includes Chile, Colombia, Ecuador, Peru, and Venezuela.
 - 3. Northeastern South America-includes Brazil, French Guiana, Guyana, and Suriname.
 - 4. Southeastern South America-includes Argentina, Bolivia, Paraguay, and Uruquay.
 - 5. Greater Antilles-includes Bahama Islands, Cayman Islands, Cuba, Dominican Republic, Haiti, Jamaica, Puerto Rico, and Virgin Islands.
 - 6. Lesser Antilles-includes Anguilla, Antigua, Barbados, Barbuda, Dominica, Grenada, Guadeloupe, Martinique, Montserrat, Nevis, St. Kitts, St. Lucia, St. Martin, St. Vincent, and Trinidad and Tobago.
 - 7. Eastern Africa-includes Burundi, Kenya, Madagascar, Malawi, Mozambique, Rwanda, Southern Rhodesia, Uganda, United Republic of Tanzania and Zambia.

III. Queries and/or Requests

During the year, the MIMP staff received and answered over 150 requests for information from computer files, data entry into computer files, computer/word processor communications, and information from data standards and map and gazetteer collections. An additional 26 requests were for computer digitized

maps from Word Data Bank II. Many of these were modified by hand, adding place names, titles, captions, inking boundaries and mounting on heavy backing for photography. These requests include:

- All mosquito collection records available for Kenya, French Guiana and Honduras.
- 2. Specific mosquito collection records from Mexico and Guyana made by specific collectors.
- 3. All collection records including the species *Trichoprosopon* for Dr. Thomas J. Zavortink (WRBU).
- 4. Data entry for various collections to include:
 - a. Collections made by Donald J. Pletsch in Guyana.
 - b. Collections with *Trichoprosopon*, *Shannoniana* and *Runchomyia* for Dr. Thomas J. Zavortink.
 - c. Collections in Kenya for LTC Charles L. Bailey (USAMRIID) and CPT Kenneth J. Linthicum (USAMRU-KENYA).
- 5. Update of new species names from new taxonomic revision of *Trichoprosopon*.
- Computer-generated maps of S. Europe and N. Africa, Kenya, Thailand, Brunei, and the Tres Bracos Area of Brazil.
- Computer-generated maps of Africa, Egypt and Israel, modified and printed for general use by mosquito specialists in WRBU for plotting distributions of mosquitoes.
- 8. Digitized maps of Costa Rica, and Mexico and Central America, with distribution points of all available collections.
- Digitized map of Bolivia, modified for WRBU publication by Mr. E. L. Peyton.
- 10. Digitized map of Central America and South America including all collection points for *Tr. (Trc.) digitatum* for LTC Donald R. Roberts (WRAIR) and Dr. Thomas J. Zavortink (WRBU).
- 11. Set of digitized maps, one for each country of Central America, to be used in the production of DVEPS by the Defense Pest Management Analysis Center, Armed Forces Pest Management Board. Each map included distribution points for collections of two medically important species, An. (Nys.) albimanus and An. (Ano.) pseudopunctipennis.
- List of any Culex species found in cocoa plants in Costa Rica for Dr. Ronald A. Ward (WRAIR).
- 13. List of any Aedes species (especially aegypti) from Heliconia in the Greater and Lesser Antilles (especially the Island of Saba) for Dr. Ronald A. Ward.
- 14. General information about the project and collection forms were given to dozens of requestors.
- 15. Information about specific individual rearings were fulfilled for at least 5 requestors.
- 16. List of all mosquito species found in the Guianas for MAJ Edward

S. Saugsted (AFMIC).

17. Digitized map of Canada requested by Dr. G.A. Bedard (NCMEP).

Requestors were from a variety of agencies including DPMIAC, AFPMB, AFMIC, WRBU, MEP, and U.S. Navy. Approximately 40% of the project's time is spent on requests from these groups.

IV. Other Activities

- A. Separate meetings were held with Dr. Lewis T. Nielsen, editor of Mosquito Systematics, and CDR Fred Santana, of the Defense Pest Management Analysis Center, Armed Forces Pest Management Board. These meetings were intended to stimulate an exchange of information and provide a basis for future collaborative efforts.
- B. Personnel in MIMP, or affiliated with the project, attended several scientific or computer meetings during this period: (1) Annual Meeting of the American Mosquito Control Association (AMCA), Florida; (2) Federal Computer Conference, Washington, DC; (3) bimonthly meetings of the Smithsonian Small Computer Group, SI; and (4) visit to London School of Tropical Medicine and Hygiene, London, England (at no cost to the contract). Considerable interest in MIMP was generated by distributing information packets at the annual AMCA meeting in Florida. This activity resulted in requests for additional information and a number of visitors to the project. In addition, the project manager learned about the kinds of information useful to different types of mosquito projects.
- C. A paper entitled "Computerized Information and Collection Management System for Systematic Research and Medical Entomology (Diptera: Culicidae)" and authored by MIMP, USAMRIID and Office of Information Resources Management personnel is currently in press. This paper will be published in the Journal of Medical Entomology, and should bring the project to the attention of medical researchers who would benefit from this valuable data base.
- D. During this period a test was performed to determine an approximate time it takes to enter data from a typical collection form. The example used was MEX 522 (see Figure B). To get these data through 5 stages took 27 minutes. The stages are as follows:
 - 1. Data Preparation
 (including confirmation of latitude/longitude)
 - 2. Data entry into computer terminal from two sources:
 - a. collection form
 - b. published information (if any)

- 3. Examination of data for errors
- 4. Correction of errors
- 5. Confirmation of corrections
- E. During the year MIMP received 37 visitors from the following organizations:
- 1) Defense Pest Management Information Analysis Center (DPMIAC), Armed Forces Pest Management Board, Washington, DC; 2) Center for Disease Control (CDC), Atlanta, GA; 3) U.S. Army Medical Research Institute for Infectious Diseases (USAMRIID), Ft. Detrick, Frederick, MD; 4) Armed Forces Medical Intelligence Center (AFMIC), Ft. Detrick, Frederick, MD; 5) Systematic Entomology Laboratory (SEL), IIBIII, USDA, Beltsville, MD; 6) Insects Affecting Man and Animals Research Laboratory, USDA, SEA-AR, Gainesville, FL; 7) USAF. OEHL/ECQ. Brooks AFB. TX; 8) Nucleo de Medicina Tropical e Nutricao, Universidad de Brazilia, Brazil; 9) USAMRU-Kenya; 10) London School of Hygiene and Tropical Medicine, London, England; 11) Népal Málaria Eradication Organization, Kathmandu, Nepal; 12) FDA, Washington, DC; 13) Institute of Arctic Biology, University of Alaska, Fairbanks, AK; 14) Ain Shams University, Cairo, Egypt; 15) U.S. Army Medical Component, AFRIMS, Thailand; 16) Royal Army Medical College, London, England; 17) Directors Office, NMNH, SI, Washington, DC: 18) Center for Biological Control of Mosquitoes, Ben-Gurion University of the Negev, Beer-Sheva, Israel; 19) National Institutes of Health, NIA, GRL, Baltimore, MD; 20) Center for Public Health Research, SC; and 21) University of Alexandria, Egypt.




FIGURE 5							
<i>,</i> .	3km state f	\a5		÷ 7003	land So	يونيم سهوزازيس	7 دسته . راب
	3km states	At. Mosqu	TTOES OF M	IDDLE AMERICA		به نیم سوز از راسه م معملات :Date	1970
Code: MEY 32	- state		-	Province: Oax Country: Mey	•	Calleman A 97	Colinean
. 1 land 10 Ci	112		•	n 000	11 m 4 5	V2300m	7. 7
mestich gorganie	5 250 24			Country: Mey		Zhaon.	,,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
In - Huy 175		_ District:		. Country:		Photo	- file atuch
				- 1/2	2 7		
density 0-(1-2)-3 3. E	VI -1. WOODY	plants:height 1) -	2 - 8 - 15 - 30 E	gensity 0 - 12-22	2. neros	, grasses:neign 0 -	2-5-86
density $0 - (1-2) - 3 = 3.5$	pibuatea: n-	12-3 4. £ case	or interior o	vegeration along	oad dike,	same 5. Shore of 5	ez, izke, stream
mangrove, saltmarsh 6. Annual minfall: ca	Virgin veget	mos ciennas)	zing, plantati	on, chicastion, come	Suc Clarge	mos mos Oo First	at snace
Annual Farmall: ca		Rainy season: J -	- M - A - M -	.0 - 0 - 10 - 10 - 10 - 10 - 10 - 10 - 1	J VEXEC	tion type.	
		IMMATURE STAC	ZS	•		SUBI	COTS
Breeding site -1. Pond,	lake 2. Gro	and poor large s	mall 3. Anic	iai tracks 4. Śwam	p interior,	Species L	1 Plo MIFIE
margin, marsiny depress	on 5. Floode	d forest o. Seepag	e spring 7.	Well 3. Stream: mai	rga, (000)	-1 Clis duai 14	
blocked 1 Ditch, crain 10 stream margin, seaside	J. rountain, g	riter II. Crapnoli	e:large, smai	1 12. Rocksbie: Voice	ole:large.	-27. arizonensa 6	
small: 15	.Fallen tree:	1	6. Bamboo: c	rt or broken, uncut	intermode	-31 An. 1#	
small: 15 17. Animal container on 19. Fallen fruit, mut, ri	E-omq:	18. Fa	llen leaf, fr	ond, spathe:		-41	
19. Fallen irwi, mii, ri	ne:	20, Amached :	ract spather	21. Cen ten	epiphytic,	-51	
terrestriali	24. Trap: ba	umboo pot,	Height of	site above ground_		-61	1111
Water - 1. Permanent.	emipermane	mi temporary	Clear tur	bid colored	Ly mildy	-71	7 1 1 1 1
3. Stagmant(slow) moder	are, strong	corrent & 11620'	Drackist, Sa	my 5. rom, sumy, a	et menting	-81	1111
Vegetation in Breeding S	ite - 1: Abun	cant) scanty, non	e 2. Flotage	, scum, algae 3	. Grassy	-9	
herbaceous, woody, Hos	reas:	 , 9	ubmerged:_				
Bottom - Mud sand,	gravel, rock	k 2. Organic mat	ter plant	animal		The Culer CA	in set at
		ADULTS				To later of the	INTIMEN & IN
1. Site: (specify exact sit					}	Tour work is	
1. <u>sire</u> : (Specify exact Si			3. Heigh	t above ground			
2. Type: biting-landing,	amarmino	resting sweeth					
at Tanti						* An early in	15th
,							
C3.3				L REARINGS	~		•
No <u>522</u> /	present	0 lost	אטקוויאוויוו	LD REALUNCO	+ dead, pre	served in alcohol	
Sub Species	1 p M F	Sub Species	I p M F	Sub Species	1 p M	F Sub Species	1 pMF
-100 anizoneisis		121 Brizonen.	V +	-47		-73	
-1011 "	N V	-22		-48		-74	
-1021 -	I I I I	- 23		-49		-75	
-1031		r 24		V50 ctucesi	TVH I	-76	
-1041		- 25		-51 Y		- 77	
-1051		-25		-52	1 1 1	-78	
1-1061		-27		-53		-79	
-107		-28		-54		-80	
-1081	 	-29		-55	1111	-81	
-109		-30 17/m.		اهر		-82	
-110	11	-31		-57	111	-83	
-111		-32		-58	$\bot \bot \bot \bot$	-84	1-1-1-1
-112		-33		-59		-85	
-113		-34		-60		-86	
-114		-35		-61	4-4-4-	-87	
-10 dicari		-36		-62	 	-88	
-11 ~		-37		-63	 	-89	
7-121		-38		-64	 	-90	
·/ - 13		-39		-65		-91	
141		40	++-	-66	++++	-92	
-151		-41	- - - - -	-67		- 93	-+
-161	14		++++	-68	++++	-94	
/ -17		-43	4+++	-69	++++	-95	
y-18! !	~**	-44	+ + + + + + + + + + + + + + + + + + + +	-70	┵┵╌	-96	
1: -191 /.	AAAAAAA	-45	1 1 1 1	-71		-97	

DISTRIBUTION LIST

12 copies Director

Walter Reed Army Institute of Research

Walter Reed Army Medical Center

ATTN: SGRD-UWZ-C

Washington, DC 20307-5100

4 copies Commander

US Army Medical Research and Development Command

ATTN: SGRD-RMS

Fort Detrick, Frederick, Maryland 21701-5012

12 copies Defense Technical Information Center (DTIC)

ATTN: DTIC-DDAC Cameron Station

Alexandria, VA 22304-6145

1 copy Dean

School of Medicine

Uniformed Services University of the

Health Sciences 4301 Jones Bridge Road Bethesda, MD 20814-4799

1 copy Commandant

Academy of Health Sciences, US Army

ATTN: AHS-CDM

Fort Sam Houston, TX 78234-6100

EMED

5-86 DT [